

Nutrient Mix & Doser Setting			IF DILUTING STOCK TANK, NEW DOSER SETTING						
ml/gallon Desired Concentration	ml/gal % Doser Setting	tsp/ gallon	100% Additive	75% Additive 25% H2O	50% Additive 50% H2O	25% Additive 75% H2O	15% Additive 85% H2O	5% Additive 95% H2O	1% Additive 99% H2O
<b>1</b>	<b>0.026</b>	0.2	0.026%	0.035%	0.053%	0.106%	0.176%	0.528%	2.642%
<b>2</b>	<b>0.053</b>	0.4	0.053%	0.070%	0.106%	0.211%	0.352%	1.057%	5.283%
<b>3</b>	<b>0.079</b>	0.6	0.079%	0.106%	0.159%	0.317%	0.528%	1.585%	7.925%
<b>4</b>	<b>0.106</b>	0.8	0.106%	0.141%	0.211%	0.423%	0.704%	2.113%	10.567%
<b>5</b>	<b>0.132</b>	1	0.132%	0.176%	0.264%	0.528%	0.881%	2.642%	13.209%
<b>6</b>	<b>0.159</b>	1.2	0.159%	0.211%	0.317%	0.634%	1.057%	3.170%	15.850%
<b>7</b>	<b>0.185</b>	1.4	0.185%	0.247%	0.370%	0.740%	1.233%	3.698%	18.492%
<b>8</b>	<b>0.211</b>	1.6	0.211%	0.282%	0.423%	0.845%	1.409%	4.227%	21.134%
<b>9</b>	<b>0.238</b>	1.8	0.238%	0.317%	0.476%	0.951%	1.585%	4.755%	23.775%
<b>10</b>	<b>0.264</b>	2	0.264%	0.352%	0.528%	1.057%	1.761%	5.283%	26.417%
<b>15</b>	<b>0.396</b>	3	0.396%	0.528%	0.793%	1.585%	2.642%	7.925%	39.626%
<b>18</b>	<b>0.476</b>	3.6	0.476%	0.634%	0.951%	1.902%	3.170%	9.510%	47.551%
<b>20</b>	<b>0.528</b>	4	0.528%	0.704%	1.057%	2.113%	3.522%	10.567%	52.834%
<b>25</b>	<b>0.660</b>	5	0.660%	0.881%	1.321%	2.642%	4.403%	13.209%	66.043%
<b>30</b>	<b>0.793</b>	6	0.793%	1.057%	1.585%	3.170%	5.283%	15.850%	79.252%
<b>35</b>	<b>0.925</b>	7	0.925%	1.233%	1.849%	3.698%	6.164%	18.492%	92.460%